GOES-11 Aqua Daytime Cloud Amount (%) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 85573 |
| GGEO | 66.3 |
| CERES | 64.8 |
| BIAS | 1.48 |
| BIAS% | 2.29 |
| R2 | 0.8443 |
| SLP | 0.910 |
| OFF | 4.45 |
| RMS | 13.7 |
| RMS% | 21.14 |

GOES-11 Aqua Daytime Log Optical Depth 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 85435 |
| GGEO | 1.0 |
| CERES | 1.1 |
| BIAS | -0.07 |
| BIAS% | -6.60 |
| R2 | 0.7549 |
| SLP | 0.891 |
| OFF | 0.18 |
| RMS | 0.5 |
| RMS% | 48.30 |

GOES-11 Aqua Daytime Cloud Temperature (K) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 85435 |
| GGEO | 268.7 |
| CERES | 267.9 |
| BIAS | 0.85 |
| BIAS% | 0.32 |
| R2 | 0.8872 |
| SLP | 0.996 |
| OFF | 0.14 |
| RMS | 6.8 |
| RMS% | 2.54 |

GOES-11 Aqua Daytime Cloud Top Temperature (K) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 20 |
| GGEO | 0.0 |
| CERES | 0.0 |
| BIAS | 0.00 |
| BIAS% | -NaN |
| R2 | NaN |
| SLP | -NaN |
| OFF | -NaN |
| RMS | 0.0 |
| RMS% | -NaN |

GOES-11 Aqua Daytime Cloud Base Temperaure (K) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 20 |
| GGEO | 0.0 |
| CERES | 0.0 |
| BIAS | 0.00 |
| BIAS% | -NaN |
| R2 | NaN |
| SLP | -NaN |
| OFF | -NaN |
| RMS | 0.0 |
| RMS% | -NaN |

GOES-11 Aqua Daytime Cloud Eff Pressure (mb) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 85435 |
| GGEO | 687.2 |
| CERES | 672.0 |
| BIAS | 15.25 |
| BIAS% | 2.27 |
| R2 | 0.9086 |
| SLP | 0.955 |
| OFF | 15.46 |
| RMS | 68.7 |
| RMS% | 10.23 |

GOES-11 Aqua Daytime Cloud Top Pressure (mb) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 82737 |
| GGEO | 667.1 |
| CERES | 663.1 |
| BIAS | 3.91 |
| BIAS% | 0.59 |
| R2 | 0.8987 |
| SLP | 0.913 |
| OFF | 53.87 |
| RMS | 74.7 |
| RMS% | 11.27 |

GOES-11 Aqua Daytime Cloud Base Pressure (mb) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 82737 |
| GGEO | 743.8 |
| CERES | 743.1 |
| BIAS | 0.65 |
| BIAS% | 0.09 |
| R2 | 0.8546 |
| SLP | 0.896 |
| OFF | 76.67 |
| RMS | 76.2 |
| RMS% | 10.25 |

GOES-11 Aqua Daytime Cloud Eff Height (km) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 85412 |
| GGEO | 3.7 |
| CERES | 4.0 |
| BIAS | -0.25 |
| BIAS% | -6.38 |
| R2 | 0.8942 |
| SLP | 0.977 |
| OFF | 0.34 |
| RMS | 1.1 |
| RMS% | 26.97 |

GOES-11 Aqua Daytime Cloud Top Height (km) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 20 |
| GGEO | 0.0 |
| CERES | 0.0 |
| BIAS | 0.00 |
| BIAS% | -NaN |
| R2 | NaN |
| SLP | -NaN |
| OFF | -NaN |
| RMS | 0.0 |
| RMS% | -NaN |

GOES-11 Aqua Daytime Cloud Base Height (km) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 20 |
| GGEO | 0.0 |
| CERES | 0.0 |
| BIAS | 0.00 |
| BIAS% | -NaN |
| R2 | NaN |
| SLP | -NaN |
| OFF | -NaN |
| RMS | 0.0 |
| RMS% | -NaN |

GOES-11 Aqua Daytime Cloud Phase 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 85435 |
| GGEO | 1.4 |
| CERES | 1.4 |
| BIAS | 0.06 |
| BIAS% | 4.61 |
| R2 | 0.7450 |
| SLP | 0.789 |
| OFF | 0.24 |
| RMS | 0.2 |
| RMS% | 16.49 |

GOES-11 Aqua Daytime Liquid Cld Amt (%) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 64513 |
| GGEO | 0.4 |
| CERES | 0.4 |
| BIAS | -0.05 |
| BIAS% | -11.24 |
| R2 | 0.4634 |
| SLP | 0.607 |
| OFF | 0.20 |
| RMS | 0.2 |
| RMS% | 54.70 |

GOES-11 Aqua Daytime Ice Cld Amt (%) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 47883 |
| GGEO | 0.7 |
| CERES | 0.6 |
| BIAS | 0.09 |
| BIAS% | 16.71 |
| R2 | 0.5745 |
| SLP | 0.743 |
| OFF | 0.07 |
| RMS | 0.3 |
| RMS% | 46.31 |

GOES-11 Aqua Daytime Liquid Particle Size (microns) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 66027 |
| GGEO | 10.0 |
| CERES | 15.0 |
| BIAS | -5.03 |
| BIAS% | -33.53 |
| R2 | 0.0000 |
| SLP | 0.021 |
| OFF | 14.81 |
| RMS | 6.4 |
| RMS% | 42.52 |

GOES-11 Aqua Daytime Ice Particle Size (microns) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 55311 |
| GGEO | 59.9 |
| CERES | 48.9 |
| BIAS | 10.99 |
| BIAS% | 22.48 |
| R2 | 0.0004 |
| SLP | -0.212 |
| OFF | 61.59 |
| RMS | 23.2 |
| RMS% | 47.43 |

GOES-11 Aqua Daytime Log Liquid Water Path (g/m2) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 65993 |
| GGEO | 5.0 |
| CERES | 3.6 |
| BIAS | 1.41 |
| BIAS% | 39.19 |
| R2 | 0.1979 |
| SLP | 0.098 |
| OFF | 3.11 |
| RMS | 4.2 |
| RMS% | 115.50 |

GOES-11 Aqua Daytime Log Ice Water Path (g/m2) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 54976 |
| GGEO | 10.2 |
| CERES | 3.9 |
| BIAS | 6.29 |
| BIAS% | 161.43 |
| R2 | 0.3540 |
| SLP | 0.097 |
| OFF | 2.90 |
| RMS | 12.3 |
| RMS% | 314.95 |

GOES-11 Aqua Daytime Emissivity 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 82737 |
| GGEO | 0.8 |
| CERES | 0.8 |
| BIAS | -0.01 |
| BIAS% | -0.93 |
| R2 | 0.5269 |
| SLP | 0.792 |
| OFF | 0.17 |
| RMS | 0.1 |
| RMS% | 17.66 |

GOES-11 Aqua Daytime Skin Temperature (K) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 20 |
| GGEO | 0.0 |
| CERES | 0.0 |
| BIAS | 0.00 |
| BIAS% | -NaN |
| R2 | NaN |
| SLP | -NaN |
| OFF | -NaN |
| RMS | 0.0 |
| RMS% | -NaN |

GOES-11 Aqua Night-time Cloud Amount (%) 5ch_V01

Jan 2010



GOES-11 Aqua Night-time Cloud Temperature (K) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 93570 |
| GGEO | 269.9 |
| CERES | 260.7 |
| BIAS | 9.18 |
| BIAS% | 3.52 |
| R2 | 0.5110 |
| SLP | 0.863 |
| OFF | 27.76 |
| RMS | 18.0 |
| RMS% | 6.89 |

GOES-11 Aqua Night-time Cloud Top Temperature (K) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 20 |
| GGEO | 0.0 |
| CERES | 0.0 |
| BIAS | 0.00 |
| BIAS% | -NaN |
| R2 | NaN |
| SLP | -NaN |
| OFF | -NaN |
| RMS | 0.0 |
| RMS% | -NaN |

GOES-11 Aqua Night-time Cloud Base Temperature (K) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 20 |
| GGEO | 0.0 |
| CERES | 0.0 |
| BIAS | 0.00 |
| BIAS% | -NaN |
| R2 | NaN |
| SLP | -NaN |
| OFF | -NaN |
| RMS | 0.0 |
| RMS% | -NaN |

GOES-11 Aqua Night-time Cloud Eff Pressure (mb) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 93570 |
| GGEO | 719.7 |
| CERES | 611.4 |
| BIAS | 108.33 |
| BIAS% | 17.72 |
| R2 | 0.6006 |
| SLP | 0.876 |
| OFF | -19.21 |
| RMS | 179.9 |
| RMS% | 29.43 |

GOES-11 Aqua Night-time Cloud Top Pressure (mb) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 1139 |
| GGEO | 562.1 |
| CERES | 636.5 |
| BIAS | -74.37 |
| BIAS% | -11.69 |
| R2 | 0.7529 |
| SLP | 0.747 |
| OFF | 216.63 |
| RMS | 126.1 |
| RMS% | 19.82 |

GOES-11 Aqua Night-time Cloud Base Pressure (mb) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 1139 |
| GGEO | 739.0 |
| CERES | 780.6 |
| BIAS | -41.56 |
| BIAS% | -5.32 |
| R2 | 0.4900 |
| SLP | 0.547 |
| OFF | 376.36 |
| RMS | 137.5 |
| RMS% | 17.62 |

GOES-11 Aqua Night-time Cloud Eff Height (km) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 93493 |
| GGEO | 3.2 |
| CERES | 4.9 |
| BIAS | -1.70 |
| BIAS% | -34.61 |
| R2 | 0.5129 |
| SLP | 0.933 |
| OFF | 1.91 |
| RMS | 3.0 |
| RMS% | 61.00 |

GOES-11 Aqua Night-time Cloud Top Height (km) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 20 |
| GGEO | 0.0 |
| CERES | 0.0 |
| BIAS | 0.00 |
| BIAS% | -NaN |
| R2 | NaN |
| SLP | -NaN |
| OFF | -NaN |
| RMS | 0.0 |
| RMS% | -NaN |

GOES-11 Aqua Night-time Cloud Base Height (km) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 20 |
| GGEO | 0.0 |
| CERES | 0.0 |
| BIAS | 0.00 |
| BIAS% | -NaN |
| R2 | NaN |
| SLP | -NaN |
| OFF | -NaN |
| RMS | 0.0 |
| RMS% | -NaN |

GOES-11 Aqua Night-time Cloud Phase 5ch_V01

Jan 2010







| | |
|---|---|
| NUM | 93570 |
| GGEO | 1.2 |
| CERES | 1.4 |
| BIAS | -0.20 |
| BIAS% | -14.36 |
| R2 | 0.4139 |
| SLP | 0.687 |
| OFF | 0.58 |
| RMS | 0.4 |
| RMS% | 26.98 |

GOES-11 Aqua Night-time Liquid Cld Amt (%) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 75597 |
| GGEO | 0.5 |
| CERES | 0.4 |
| BIAS | 0.13 |
| BIAS% | 33.51 |
| R2 | 0.1613 |
| SLP | 0.363 |
| OFF | 0.19 |
| RMS | 0.4 |
| RMS% | 93.17 |

GOES-11 Aqua Night-time Ice Cld Amt (%) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 49925 |
| GGEO | 0.3 |
| CERES | 0.6 |
| BIAS | -0.26 |
| BIAS% | -43.37 |
| R2 | 0.3949 |
| SLP | 0.482 |
| OFF | 0.44 |
| RMS | 0.4 |
| RMS% | 68.40 |

GOES-11 Aqua Night-time Liquid Particle Size (microns) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 712 |
| GGEO | 9.9 |
| CERES | 15.4 |
| BIAS | -5.46 |
| BIAS% | -35.52 |
| R2 | 0.0006 |
| SLP | 0.130 |
| OFF | 14.08 |
| RMS | 6.8 |
| RMS% | 44.07 |

GOES-11 Aqua Night-time Ice Particle Size (microns) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 881 |
| GGEO | 58.6 |
| CERES | 53.9 |
| BIAS | 4.67 |
| BIAS% | 8.67 |
| R2 | 0.0135 |
| SLP | -0.232 |
| OFF | 67.54 |
| RMS | 16.9 |
| RMS% | 31.30 |

GOES-11 Aqua Night-time Log Liquid Water Path (g/m2) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 689 |
| GGEO | 17.3 |
| CERES | 4.9 |
| BIAS | 12.44 |
| BIAS% | 254.75 |
| R2 | 0.0485 |
| SLP | 0.013 |
| OFF | 4.66 |
| RMS | 21.1 |
| RMS% | 433.05 |

GOES-11 Aqua Night-time Log Ice Water Path (g/m2) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 832 |
| GGEO | 20.4 |
| CERES | 4.9 |
| BIAS | 15.50 |
| BIAS% | 316.09 |
| R2 | 0.1205 |
| SLP | 0.023 |
| OFF | 4.43 |
| RMS | 25.1 |
| RMS% | 511.09 |

GOES-11 Aqua Night-time Emissivity 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 1139 |
| GGEO | 0.9 |
| CERES | 0.9 |
| BIAS | 0.04 |
| BIAS% | 4.17 |
| R2 | 0.1645 |
| SLP | 0.382 |
| OFF | 0.52 |
| RMS | 0.2 |
| RMS% | 19.88 |

GOES-11 Aqua Night-time Skin Temperature (K) 5ch_V01

Jan 2010




| | |
|---|---|
| NUM | 20 |
| GGEO | 0.0 |
| CERES | 0.0 |
| BIAS | 0.00 |
| BIAS% | -NaN |
| R2 | NaN |
| SLP | -NaN |
| OFF | -NaN |
| RMS | 0.0 |
| RMS% | -NaN |