
GOES-12 Aqua Daytime Cloud Amount (%) 2ch
Jan 2010
CERES Aqua
CGEO
0
20
40
60
80
100
0
5
10
15
20
Frequency
NUM 13253
CGEO
CERES
BIAS
BIAS%
R2
STD
OFF
RMS
RMS%
3.51
4.56
17.0
25.65


GOES-12 Aqua Daytime Log Optical Depth 2ch
Jan 2010
CERES Aqua
5.0
2.5
0.0
-2.5
-5.0
-5.0
-2.5
0.0
2.5
5.0
GGEO
0
10
20
30
40
Frequency
NUM 12549
GGEO 17
CERES 17
BIAS 0.35
BIAS% 25.40
R2 0.7135
STP 0.7564
OFF 0.06
RMS 0.7
RMS% 53.09


GOES-12 Aqua Daytime Cloud Temperature (K) 2ch
Jan 2010
CERES Aqua
GGEO
Frequency
0
10
20
30
40
NUM
CGEO
CERES
BIAS
BIAS%
R2
STD
OFF
RMS
RMS%
12885
3.47


GOES-12 Aqua Daytime Cloud Eff Pressure (mb) 2ch
Jan 2010
CERES Aqua
CGEO
Frequency
NUM
CGEO
CERES
BIAS
BIAS%
R2
STD
OFF
RMS
RMS%
12885
572.1
570.3
1.78
0.25
0.8397
0.578
80.30
87.38
13.02


GOES-12 Aqua Daylime Cloud Top Pressure (mb) 2ch
Jan 2010
CERES Aqua
GGEO
0
200
400
600
800
1000
Frequency
0
10
20
30
40
NUM
CGEO
CERES
BIAS
BIAS%
R2
STD
OFF
RMS
RMS%
14.00


GOES-12 Aqua Daytime Cloud Base Pressure (mb) 2ch
Jan 2010
CERES Aqua
CGEC
Frequency
NUM
CGEC
CERES
BIAS
BIAS%
R2
STD
RMS
RMS%
12549
739.4
-0.95
0.815
142.59
91.3
12.35


GOES-12 Aqua Daytime Cloud Phase 2ch
Jan 2010
CERES Aqua
2
1
1
2
GGEO
0
10
20
30
40
Frequency
NUM
GGEO
CERES
BIAS
BIAS%
R2
STD
OFF
RMS
RMS%
12885
1.5
1.12
0.13
9.82
0.56
0.37
0.3
23.09


GOES-12 Aqua Night-time Cloud Amount (%) 2ch
Jan 2010
CERES Aqua
CGEO
0
20
40
60
80
100
0
10
20
30
40
Frequency
NUM 12717
CGEO 57.9
CERES 61.5
BIAS -3.54
BIAS% -5.80
R2 0.7074
STP 0.820
OFF 13.99
RMS 22.03
RMS% 35.78


GOES-12 Aqua Night-time Cloud Temperature (K) 2ch
Jan 2010
CERES Aqua
GGEO
Frequency
0
10
20
30
40
NUM
CGEO
CERES
BIAS
BIAS%
R2
STD
OFF
RMS
RMS%
11855
2576
5.12


GOES-12 Aqua Night-time Cloud Elf Pressure (mb) 2ch
Jan 2010
CERES Aqua
1000
800
600
400
200
0
0
200
400
600
800
1000
CGEC
0
10
20
30
40
Frequency
NUM 11855
CGEC 709.4
CERES 524.3
BIAS 184.7
BIAS% 13.48
R2 0.6257
STP 0.3485
OFF -47.13
RMS 162.2
RMS% 25.99


GOES-12 Aqua Night-time Cloud Phase 2ch
Jan 2010
CERES Aqua
GGEO
2
1
1
2
0
10
20
30
40
Frequency
NUM
CGEO
CERES
BIAS
BIAS%
R2
STD
OFF
RMS
RMS%
11855
25.87